

# Calibration Weights

supplied by

## Technical Advantages

<b>Calibration Weight Tolerance and Selection Chart</b>					
	<b>Polished Stainless Steel</b>			<b>Brass</b>	<b>Cast Iron</b>
<b>Class of weight →</b>	O.I.M.L. Class E2 ± mg	O.I.M.L. Class F1 ± mg	O.I.M.L. Class F2 ± mg	NMI Inspector's Class 2 ± mg	NMI Inspectors Class 3 ± mg
<b>↓ Nominal Value</b>					
20kg				667	2000
10kg	15	50	150	333	1000
5kg	7.5	25	75	167	533
2kg	3.0	10	30	67	200
1kg	1.5	5	15	33	107
500g	0.75	2.5	7.5	16.7	53
200g	0.30	1.0	3.0	6.70	20
100g	0.15	0.5	1.5	3.30	11
50g	0.10	0.30	1.0	2.00	
20g	0.080	0.25	0.8	1.70	
10g	0.060	0.20	0.6	1.30	
5g	0.050	0.15	0.5	1.10	
2g	0.040	0.12	0.4	0.80	
1g	0.030	0.10	0.3	0.67	
500mg	0.025	0.08	0.25	0.53	
200mg	0.020	0.06	0.20	0.40	
100mg	0.015	0.05	0.15	0.33	
50mg	0.012	0.04	0.12	0.27	
20mg	0.010	0.03	0.10	0.20	
10mg	0.008	0.025	0.08	0.17	
5mg	0.006	0.020	0.06	0.13	
2mg	0.006	0.020	0.06	0.13	
1mg	0.006	0.020	0.06	0.13	

For further information, please contact:

Technical Advantages

PO Box 3082

Warner, QLD 4500

[www.techadv.com.au](http://www.techadv.com.au)